



Topic: Planning the future of modeling and simulation of aeronautical CNS systems

Thanh C. Nguyen and Fred Seelig, Co-chairs





1 – What is the current state-of-the-art of modeling and simulation of aeronautical CNS systems?

Current Tools

- 1. OPNET
- 2. TAAM (Total Airport and Airspace Model)
- 3. ACES (Airspace Concepts Evaluation System)
- 4. Eurocontrol's RAMS (Reorganized ATC Mathematical Simulation)
- 5. FASTE-CNS
- 6. NS-2 (Network Simulator)
- 7. MATLAB Simulink
- 8. QualNet
- 9. STK (Satellite Tool Kit)
- 10. Boeing CNS Modeling Tool

Above tools were identified by the workshop participants. Other tools do exist.





Current Models

- MITRE CAASD (OPNET)
 - ATN, VDL-2, VDL-3 (various flavors), Mode-S
 - Measure throughput and delay, protocol overhead
- CSU (OPNET)
 - VDL-2, VDL-3 (3T), VDL-4, AMSS (Inmarsat)
 - Measure throughput and delay
- Analex GRC
 - VDL-3, ADS-B/Mode-S, UAT, Satellite TDMA
- University of MD (OPNET/STK)
 - Satellite link (GEO and MEO)
- CSSI (Custom Tools,a combination of COTS tools)
 - Operational concepts (airborne self separation)
- Seagull (3rd party traffic generators based on custom tools)
 - Fast time, real time, VDL-3, Mode-S, ATCRB-S
- CNS Inc. / GRC (C#, MS .net)
 - Physical layer applications
- Tools also developed at MIT Lincoln Labs, APL at JHU





2 – What is the end goal of CNS modeling and simulations? What are the requirements?

- Answer fundamental R&D Questions
 - Tradeoff between different technologies
 - Ground-based vs. satellite-based communications links
 - CDMA vs. TDMA Systems
 - Guide R&D directions and standards development
- Show the impact of CNS system performance on pilot, aircraft and controller behavior
- 3. Impact of CNS performance on operational concepts and vice versa
- 4. Impact of environment (weather, terrain etc.) on CNS performance requirements
- 5. Guide acquisition decisions





3 – What are the modeling and simulation gaps?

- 1. Lack of collaboration within modeling/simulation research community
- 2. Adaptive behavior of people in the system.
- 3. Integrating CNS models with behavior based operational models.
- 4. Impact of CNS performance on separation standards.
- 5. Security Modeling
- 6. Safety Modeling
- 7. Common unified library of interacting models (e.g a national testbed filled with libraries like VDL-2, VDL-3, EPS, WAAS radars)
- 8. Lack of standardized traffic models and scenarios, and their inconsistent use.
- 9. Inadequate definitions for fidelity





3 – What are the modeling and simulation gaps? (..contd.)

- 10. ATN vs. IPv6
 - Mobile IPv6
 - Interoperability of ATN applications in IPv6
- 11. Modeling of acquisition/policy making process
- 12. Modeling of future CNS landscape
- 13. Model transitions between technologies
- 14. Consistent validation of models





- 4 What is the recommended approach to eliminating these gaps and reaching the end goals?
- 1. Collaboration among model builders
- 2. Create a list of existing models and simulations.
- 3. Models should be designed with compatible model interfaces so other models can use their outputs or contribute to the inputs.
- 4. Standardization of scenarios and metrics.